



WUXUAN

GROW IN SILENCE

A quieter way to grow.



GARDEN SUPPORTS & OUTDOOR LIVING

Modular structures. Everyday growing. Quiet moments outdoors.



Quiet by nature.

Thoughtful garden products for the pleasure of growing.



Make room for a quieter life.

WUXUAN celebrates a life away from the noise, with time to plant, nurture and enjoy what grows. Our modular plant supports and garden structures bring practical growing spaces to gardens, patios and balconies.

Based in Ningbo, China, we combine manufacturing and trading capabilities. Our range focuses on sturdy PE-coated supports, modular configurations and straightforward assembly, with coordinated supply for brands, importers and retailers.



MODULAR



STURDY



RUST-RESISTANT



EASY ASSEMBLY

Find your collection.

Start with our core plant supports, then explore the wider garden range.

01	Vegetable arch trellises	04-05
02	Cucumber trellises	06-08
03	Garden obelisks	09
04	Rose & flower supports	10
05	Garden arches & structures	11-15
06	Planters & trellis sets	16-19
07	Screens & trellis panels	20-21
08	Greenhouses & grow tunnels	22-23
09	Garden borders & accessories	24
10	Customization & contact	25-26

Selected product configurations are shown in this catalog. Ask for the full specification sheet and quotation for your chosen items.

Vegetable arch trellises.

20 mm tube collection / Vertical growing for climbing vegetables



Classic arch

A curved growing frame with trellis netting for a garden growing area.



Updated arch design

An alternative frame configuration in the same 20 mm product family.

CONFIGURATION	CONNECTION / OPTION	PACKING SIZE (CM)	G.W.
Classic arch	7 crossbars	114 × 33 × 8	6.7 kg
Classic arch	9 crossbars	114 × 33 × 8	7.4 kg
Updated arch design	Plastic connectors	91 × 34 × 9	6.6 kg

20 mm tube diameter. Existing listed product size: 115 × 183 × 230 cm. Confirm final configuration with quotation.

For squash, beans & climbing vegetables.



PE-COATED GALVANIZED STEEL

Rust-resistant tubing

More room for climbing harvests.

Two 20 mm tube-diameter cucumber and pumpkin arch trellises.



Compact cucumber & pumpkin arch

20 mm PE-coated steel tube structure

PRODUCT SIZE	90 × 80 × 205 cm
PACKING SIZE	44.5 × 33 × 14 cm
GROSS WEIGHT	4.8 kg



Extended cucumber & pumpkin tunnel

20 mm PE-coated steel tube structure

PRODUCT SIZE	180 × 80 × 205 cm
PACKING SIZE	44 × 34.5 × 19 cm
GROSS WEIGHT	6.9 kg

Support cucumbers, pumpkins and other climbing vegetables.

Tall arch profiles create accessible growing space while the netting guides vines upward.

U-shaped cucumber trellises.

Two tube diameters and multiple sizes for climbing vegetables and flowering vines.




11 mm U-shaped cucumber trellis

A compact vegetable support with an open growing bay.

SIZE & PACKAGING			
SIZE (CM)	PACK (CM)	G.W.	N.W.
120 × 120	44 × 22 × 10	—	—
160 × 160	44 × 27 × 10	—	—

Dimensions and weights reproduce the supplied product data.



14 mm climbing trellis

A stronger tunnel-style frame for wider planted rows.

SIZE & PACKAGING			
SIZE (CM)	PACK (CM)	G.W.	N.W.
120 × 120	44 × 19 × 7	1.82 kg	6.2 kg
160 × 120	44 × 19 × 7	2.43 kg	6.8 kg
160 × 160	44 × 19 × 7	2.86 kg	6.8 kg

Dimensions and weights reproduce the supplied product data.

Packing quantity: 1 set per carton.

Dashes indicate weight data was not supplied for the 11 mm version. Confirm final net/gross weight and included parts with quotation.

A-frame cucumber trellis.

A coordinated companion to the U-shaped cucumber trellis collection.



Balanced support on both sides.

The A-frame uses four evenly spaced support stations and a denser arrangement of horizontal rails and uprights to visually match the U-shaped cucumber trellis range. PE-coated steel tubes, plastic connectors and climbing netting form a stable growing frame.

PRODUCT & PACKAGING SPECIFICATIONS			
PRODUCT SIZE (CM)	PACKING SIZE (CM)	PCS	WEIGHT
80 × 120	44 × 10 × 9	1	1.2 kg
120 × 120	44 × 11 × 9	1	1.62 kg
120 × 160	44 × 15 × 10	1	2.3 kg

11 mm PE-coated tube collection. Product dimensions, packing dimensions and weight supplied by the company.
Confirm the final connector count, netting and included parts with quotation.

Climbing support systems.

Three coordinated structures for vegetable rows, planters and flowering vines.



16 mm shelf-post trellis

Reinforced rectangular support with two tube configurations.

SIZE (CM)	STRUCTURE	PACK (CM)	PCS	G.W.	N.W.
90 × 180	All rails 16 mm	95 × 21 × 6	1	2.9 kg	2.3 kg
90 × 180	4 uprights + top 16 mm; others 11 mm	44 × 24 × 8	1	2.9 kg	2.3 kg



11 mm A-frame plant support

Compact A-frame for climbing vegetables.

SIZE (CM)	STRUCTURE	PACK (CM)	PCS	G.W.	N.W.
120 × 120	11 mm tube structure	44 × 8 × 12	1	1.6 kg	1.34 kg



14 mm planter trellis kit

Four 14 mm uprights, 16 mm crossbars and five horizontal tubes.

SIZE (CM)	STRUCTURE	PACK (CM)	PCS	G.W.	N.W.
180 × 30 × 180	5 crossbars	44 × 27 × 10	1	3.9 kg	3.5 kg
180 × 40 × 180	5 crossbars	45 × 40 × 10	1	5.9 kg	5.2 kg
180 × 30 × 180	5 crossbars / pack option B	100 × 33 × 6	1	5.1 kg	4.5 kg

Specifications, packing data and weights reproduce the supplied parameter sheet. Confirm final contents with quotation.

Garden obelisks.

Four-leg tower collection / 11 mm tube diameter




Without crossbars

Available heights: 120 / 160 / 200 cm

Four-leg design without horizontal crossbars.

Finial options: Bud / Bird / Sword



With crossbars

Available heights: 130 / 170 / 210 cm

Four-leg design with horizontal crossbars.

Finial options: Bud / Bird / Sword

A decorative accent for climbing plants.

A tapered tower shape for flower beds, containers and garden borders. Select the height and frame configuration to build a coordinated assortment.

CONFIGURATION	TUBE	HEIGHT	PACKING SIZE (CM)	PCS	WEIGHT
No crossbars	11 mm	1.2 m	45 × 8 × 7	1	0.5 kg
No crossbars	11 mm	1.6 m	45 × 8 × 7	1	0.6 kg
No crossbars	11 mm	2.0 m	45 × 8 × 7	1	0.7 kg
With crossbars	11 mm	1.3 m	44 × 8 × 7	1	0.7 kg
With crossbars	11 mm	1.7 m	44 × 8 × 7	1	0.85 kg
With crossbars	11 mm	2.1 m	44 × 8 × 7	1	1 kg

Specifications apply to the two four-leg obelisk configurations shown above. Confirm packing contents with quotation.

Rose & flower supports.

Rounded towers, flat panels and coordinated climbing supports



Small rose obelisk

12 mm tube / Diameter 30 cm
Heights: 120 / 160 / 180 cm



Large rose obelisk

14 mm tube / Diameter 40 cm
Heights: 120 / 160 / 180 / 210 cm



Rounded rose tower

16 mm tube / Diameter 25 cm
Heights: 160 / 170 / 210 cm



Rose trellis panel

14 mm tube / Flat panel design
Multiple width and height options

Additional cylindrical flower supports and tomato supports are available on request.

Garden arches.

20 mm tube diameter / Black, white and green finishes



Classic arch

30 cm side depth / 240 cm height

PACKING SIZE (CM)		
Listed per size below		
SIZE (CM)	PACK (CM)	GW (KG)
120 × 30 × 240	106 × 34 × 13	3.9
150 × 30 × 240	106 × 34 × 13	4.2
200 × 30 × 240	106 × 34 × 13	4.5
230 × 30 × 240	106 × 34 × 13	4.7
250 × 30 × 240	106 × 34 × 13	4.8
280 × 30 × 240	106 × 34 × 13	5.0
300 × 30 × 240	106 × 34 × 13	5.1

Decorative arch

40 cm side depth / 240 cm height

PACKING SIZE (CM)		
Listed per size below		
SIZE (CM)	PACK (CM)	GW (KG)
120 × 40 × 240	114 × 43.5 × 13.5	5.7
150 × 40 × 240	114 × 43.5 × 13.5	5.36
180 × 40 × 240	114 × 43.5 × 13.5	5.53
200 × 40 × 240	114 × 43.5 × 13.5	5.78
250 × 40 × 240	114 × 43.5 × 13.5	6.07
280 × 40 × 240	114 × 43.5 × 13.5	6.3
300 × 40 × 240	114 × 43.5 × 13.5	6.42
320 × 40 × 240	114 × 43.5 × 13.5	6.48

Sectional arch

40 cm side depth / 240 cm height

PACKING SIZE (CM)		
Listed per size below		
SIZE (CM)	PACK (CM)	GW (KG)
150 × 40 × 240	109 × 26 × 10	5.53
250 × 40 × 240	109 × 26 × 14	6.2
320 × 40 × 240	109 × 26 × 14	6.9

Size: width × depth × height. Packing dimensions are in centimetres. GW: gross weight in kilograms.

More garden arch options.

25 mm and 20 mm tube designs / Black, white and green finishes




Qingshe decorative arch

25 mm tube / 50 cm side depth

PACKING SIZE (CM)
115 × 3.5 × 17.5

SIZE (CM)	PACK (CM)	GW (KG)
150 × 50 × 267	115 × 3.5 × 17.5	9.9
225 × 50 × 267	115 × 3.5 × 17.5	10.36
300 × 50 × 267	115 × 3.5 × 17.5	11.24
350 × 50 × 267	115 × 3.5 × 17.5	11.66
400 × 50 × 267	115 × 3.5 × 17.5	12.24
475 × 50 × 267	115 × 3.5 × 17.5	12.96
500 × 50 × 267	115 × 3.5 × 17.5	13.42



Xinyue diamond arch

20 mm tube / 30 cm side depth

PACKING SIZE (CM)
106 × 34 × 13

SIZE (CM)	PACK (CM)	GW (KG)
120 × 30 × 240	106 × 34 × 13	5.25
150 × 30 × 240	106 × 34 × 13	5.46
200 × 30 × 240	106 × 34 × 13	5.63
230 × 30 × 240	106 × 34 × 13	5.78
250 × 30 × 240	106 × 34 × 13	6.2
280 × 30 × 240	106 × 34 × 13	6.4
300 × 30 × 240	106 × 34 × 13	6.5

Size: width × depth × height. All dimensions are in centimetres; weights are in kilograms.
Qingshe packing size is reproduced as supplied: 115 × 3.5 × 17.5 cm. Please confirm the 3.5 cm value.

Half arches.

Space-saving wall-side supports / PE-coated galvanized steel



Qingya half arch

20 mm tube / 40 cm side depth

PACKING SIZE (CM)
112 × 42.5 × 8.5

SIZE (CM)	PACK (CM)	GW (KG)
60 × 40 × 240	112 × 42.5 × 8.5	3.4
120 × 40 × 240	112 × 42.5 × 8.5	3.3
150 × 40 × 240	112 × 42.5 × 8.5	3.5
220 × 40 × 240	112 × 42.5 × 8.5	3.9
240 × 40 × 240	112 × 42.5 × 8.5	4.0



Split-style half arch

20 mm tube / 40 cm side depth

PACKING SIZE (CM)
109 × 26 × 7.5

SIZE (CM)	PACK (CM)	GW (KG)
60 × 40 × 240	109 × 26 × 7.5	3.1
120 × 40 × 240	109 × 26 × 7.5	3.4

Size: width × depth × height. Dimensions are in centimetres; GW is gross weight in kilograms.

Half arches.

Space-saving wall-side supports / PE-coated galvanized steel




Qingshe half arch

25 mm tube / 50 cm side depth

PACKING SIZE (CM)
115 × 53.5 × 10.5

SIZE (CM)	PACK (CM)	GW (KG)
75 × 50 × 267	115 × 53.5 × 10.5	5.6
150 × 50 × 267	115 × 53.5 × 10.5	6.0
200 × 50 × 267	115 × 53.5 × 10.5	6.8
275 × 50 × 267	115 × 53.5 × 10.5	7.2
350 × 50 × 267	115 × 53.5 × 10.5	8.0



New half arch

20 mm tube / 40 cm side depth

PACKING SIZE (CM)
115 × 45 × 10

SIZE (CM)	PACK (CM)	GW (KG)
120 × 40 × 240	115 × 45 × 10	3.8
150 × 40 × 240	115 × 45 × 10	4.1
180 × 40 × 240	115 × 45 × 10	4.2
210 × 40 × 240	115 × 45 × 10	4.4
240 × 40 × 240	115 × 45 × 10	4.6
280 × 40 × 240	115 × 45 × 10	4.9

Size: width × depth × height. Dimensions are in centimetres; GW is gross weight in kilograms.

More ways to frame a garden.

Planter arches, linked structures and flat-top designs



Arch with planters

20 mm tube


Listed size: 150 x 40 x 220 cm



Linked garden arch

20 mm tube

Listed size: 120 x 150 x 240 cm



Flat-top arch

25 mm tube

Width 360 x height 270 x depth 40 cm



Grape pergola

25 mm tube

Listed sizes: 340 x 200 x 230 cm or
200 x 200 x 230 cm

Furniture, plants and decorative accessories shown in lifestyle images are for illustration.



PE-COATED GALVANIZED STEEL

Rust-resistant tubing

Planters & trellis sets.

Product size, packing dimensions and weight from the original specification sheet.



Planter box

40 × 40 × 25 cm | Pack 46 × 46 × 13 cm | N.W. 2.9 kg

40 × 40 × 45 cm | Pack 46 × 46 × 25 cm | N.W. 6.3 kg



Rounded trellis set

Planter 40 × 40 × 25 cm | Pack 42 × 42 × 14 cm

Trellis 40 × 40 × 160 cm | Combined N.W. 3.65 kg



Pointed trellis set

Planter 40 × 40 × 25 cm | Pack 42 × 42 × 14 cm

Trellis 40 × 40 × 160 cm | Combined N.W. 3.6 kg



Obelisk planter set

Product 30 × 30 × 160 cm

Pack 43 × 34 × 13.5 cm | N.W. 2.95 kg

FEATURED / SELF-WATERING PRIVACY PLANTER

Plant, screen and simplify.



01 WATER RESERVOIR

Built-in storage keeps water available for your plants.

02 SELF-WATERING

Self-watering design supplies moisture from the reservoir.

03 RUST RESISTANCE

PE-coated steel screen tubes help protect against rust.

04 EASY ASSEMBLY

Simple assembly makes it easy to set up your planted screen.

Size: 80 × 40 × 180 cm | Pack: 91 × 45.5 × 23.5 cm | G.W.: 14.4 kg

Planter screen trellis systems.

Modular privacy, planting and climbing support in one coordinated range.

Grow upward. Move freely.

Water-storing PP planters combine with supportive lattice panels and strong 20 mm PE-coated galvanized steel posts. Locking wheels make each arrangement easy to position on patios and balconies.

01

WATER STORAGE

Deep PP planter options

02

STRONG UPRIGHTS

20 mm PE-coated steel

03

MODULAR LAYOUTS

Straight or corner formats

04

OUTDOOR READY

Rust resistant structure



Build a planted privacy screen for your space.

Choose lattice pattern, tier count, planter depth and connected-unit configuration.

Diamond lattice configurations.

A clean geometric grid for climbing plants and screening.



3-tier / 2-unit deep

Deep planters · wheels



3-tier / 3-unit

Standard planters · wheels



2-tier / 3-unit

Standard planters · wheels



2-tier / 3-unit deep

Deep planters · wheels

Configuration names describe the supplied images. Confirm exact dimensions, load rating, reservoir capacity and included parts with quotation.

Circular lattice configurations.

A softer decorative pattern with the same modular planter system.



2-tier / 2-unit deep

Deep planters · wheels



2-tier / 3-unit

Standard planters · wheels



3-tier / 2-unit deep

Deep planters · wheels



3-tier / 3-unit deep

Deep planters · wheels

Configuration names describe the supplied images. Confirm exact dimensions, load rating, reservoir capacity and included parts with quotation.

Slatted garden screen.

A freestanding privacy screen for patios, balconies and garden layouts.



Privacy with purpose.

Horizontal slats create a clean garden partition while integrated holders bring planting into the screen. Freestanding feet support flexible placement outdoors.

01 11 SIZE OPTIONS
60, 90 and 120 cm widths

02 FREESTANDING
Stable feet included

03 OUTDOOR STRUCTURE
PE-coated steel frame

SIZE & PACKAGING INFORMATION

Screen size W × H (cm)	Packing size cm	Gross weight G.W.	Net weight N.W.
W60 × H90	68 × 14 × 16.5	3.9 kg	3.6 kg
W60 × H120	68 × 20 × 16.5	5.2 kg	4.9 kg
W60 × H150	68 × 24 × 16.5	6.56 kg	6.26 kg
W60 × H180	68 × 29 × 16.5	6.56 kg	6.26 kg
W90 × H120	98 × 20 × 16.5	6.3 kg	6 kg
W90 × H150	98 × 24 × 16.5	8.58 kg	8.28 kg
W90 × H180	98 × 29 × 16.5	10.6 kg	10.3 kg
W120 × H90	128 × 12 × 16.5	6.93 kg	6.63 kg
W120 × H120	128 × 20 × 16.5	7.95 kg	7.65 kg
W120 × H150	128 × 24 × 16.5	10.18 kg	9.88 kg
W120 × H180	128 × 29 × 16.5	12.4 kg	12.1 kg

Specifications and packaging data reproduced from the company-supplied parameter sheet. Confirm final order details with quotation.

L-shaped patio screen sets.

Modular privacy panels for corners, patios and planted outdoor spaces.



2-panel L-shaped set

Connected panels form a stable 90-degree corner.

PANEL SIZE	90 × 120 cm
COLORS	Brown / Black / White
PACKING SIZE	101 × 36 × 18 cm
GROSS WEIGHT	To be confirmed



3-panel L-shaped set

Connected panels form a stable 90-degree corner.

PANEL SIZE	90 × 120 cm
COLORS	Brown / Black / White
PACKING SIZE	100 × 55 × 18 cm
GROSS WEIGHT	To be confirmed

Panel size is listed as width × height. Packing dimensions are reproduced from the company-supplied data.
Gross weight will be added when confirmed.

Compact greenhouses.

Shelf units and small growing covers / 16 mm tube collection



Peaked / 3-tier

Listed size: 67 x 49 x 126 cm



Rounded / 3-tier

Listed size: 79 x 48 x 120 cm



Rounded / 4-tier

Listed size: 79 x 48 x 160 cm



Compact cover

Listed size: 100 x 50 x 170 cm



Dome greenhouse

Listed size: 160 x 138 x 180 cm



Low grow tunnel

Listed size: 270 x 90 x 90 cm


Walk-in & tunnel formats.

Choose the footprint and access style for your growing range



Walk-in greenhouse

Listed sizes: 143 x 143 x 195 cm or
216 x 143 x 195 cm



Arched greenhouse

Listed sizes: 200 x 250 x 200 cm;
200 x 300 x 200 cm; 200 x 450 x 200 cm



Four-section grow tunnel

Listed size: 395 x 100 x 80 cm



Three-section grow tunnel

Listed size: 297 x 100 x 80 cm

Cover material, frame specification and included fittings are confirmed by model.

The finishing touches.

Garden edging and complementary accessories



Decorative garden edging

PP garden border panels in two formats. Color options available.



Cat deterrent mat

Listed width x length: 30 x 200 cm;
30 x 400 cm; 45 x 400 cm.

Combine accessories with plant supports and growing products to extend your garden assortment.

Made for your range.

Discuss a selected product or develop a coordinated assortment with our team.

01

Choose your product

Select a product family, design and target dimensions.

02

Define the details

Discuss tube specification, color, connectors and included accessories.

03

Plan the packaging

Review pack quantity, carton layout, labeling and instruction requirements.

04

Confirm the sample

Agree the final specification, sample requirements and order details.

REQUEST A QUOTATION

Please include the product name, preferred size, order quantity, destination market, packaging requirements and target delivery date.

MOQ, pricing, sample terms and production lead time are provided with your quotation.

A quieter way to grow. Together.



GROW IN SILENCE

PE-coated plant supports & garden products / Ningbo, China

PRODUCT INQUIRIES

suyang@wuxuangardening.com

No. 276, Longzhen Avenue, Longshan Town
Cixi, Zhejiang, China

Product images illustrate available designs. Final specifications, colors, packing and supplied accessories are confirmed with the quotation and approved sample.